

Key Facts About Flood Recovery:

Prevent illness from FOOD

Identify and throw away food that may not be safe to eat. Throw away food that may have come in contact with flood or storm water. Throw away canned foods that are bulging, opened, or damaged. Throw away food that has an unusual odor, color, or texture. Throw away perishable foods (including meat, poultry, fish, eggs and leftovers) that have been above 40°F for 2 hours or more. Thawed food that contains ice crystals or is 40°F or below can be refrozen or cooked. If cans have come in contact with floodwater or storm water, remove the labels, wash the cans, and dip them in a solution of 1 cup of bleach in 5 gallons of water. Relabel the cans with a marker.

Store food safely. While the power is out, keep the refrigerator and freezer doors closed as much as possible. Add block ice or dry ice to your refrigerator if the electricity is expected to be off longer than 4 hours. Wear heavy gloves when handling ice.

Prevent illness from WATER

Listen to and follow public announcements. Local authorities will tell you if tap water is safe to drink or to use for cooking or bathing. If the water is not safe to use, follow local instructions to use bottled water or to boil or disinfect water for cooking, cleaning, or bathing.

Correctly boil or disinfect water. Hold water at a rolling boil for 1 minute to kill bacteria. If you can't boil water, add 1/8 teaspoon (approximately 0.75 mL) of newly purchased, unscented liquid household bleach per gallon of water. Stir the water well, and let it stand for 30 minutes before you use it. You can use water-purifying tablets instead of boiling water or using bleach. For infants, use **only** pre-prepared canned baby formula. Do not use powdered formulas prepared with treated water. Clean children's toys that have come in contact with water. Use a solution of 1 cup of bleach in 5 gallons of water to clean the toys. Let toys air dry after cleaning.

Good Hand washing: It is critical to remember to practice good hygiene during a flood emergency. Flood waters may be contaminated with fecal material from overflowing sewage systems, or from agricultural operations such as feedlots, etc. It is difficult to do but efforts should be made to wash hands thoroughly with soap and clean uncontaminated water. Proper handwashing is required: before preparing or eating food; and before and after using the bathroom; after participating in flood clean-up activities; and after handling articles that have been contaminated with flood water or sewage.

Prevent and treat OTHER ILLNESS and INJURIES

Prevent carbon monoxide poisoning. Carbon monoxide is an odorless, colorless gas that is produced by many types of equipment and is poisonous to breathe. Don't use a generator, pressure washer, charcoal grill, camp stove, or other gasoline- or charcoal-burning device inside your home, basement, or garage or near a window, door, or vent. Don't run a car or truck inside a garage attached to your house, even if you leave the door open. Don't heat your house with a gas oven. If your carbon monoxide detector sounds, leave your home immediately and call 911. Seek prompt medical attention if you suspect carbon monoxide poisoning and are feeling dizzy, light-headed, or nauseated.

Avoid floodwater and mosquitoes. Follow all warnings about water on roadways. Do not drive vehicles or heavy equipment through water. If you have to work in or near floodwater, wear a life jacket. If you are caught in an area where floodwater is rising, wear a life jacket, or use some other type of flotation device. Prevent mosquito bites by wearing long pants, socks, and long-sleeved shirts and by using insect repellents that contain DEET or Picaridin. More information about these and other recommended repellents can be found in the fact sheet [Updated Information Regarding Insect Repellents](#).

Avoid unstable buildings and structures. Stay away from damaged buildings or structures until they have been examined and certified as safe by a building inspector or other government authority. Leave immediately if you hear shifting or unusual noises that signal that the structure is about to fall.

Beware of wild or stray animals. Avoid wild or stray animals. Call local authorities to handle animals. Get rid of dead animals according to local guidelines.

Beware of electrical and fire hazards. NEVER touch a fallen power line. Call the power company to report fallen power lines. Avoid contact with overhead power lines during cleanup and other activities. If electrical circuits and equipment have gotten wet or are in or near water, turn off the power at the main breaker or fuse on the service panel. Do not turn the power back on until electrical equipment has been inspected by a qualified electrician. Do not burn candles near flammable items or leave the candle unattended. If possible, use flashlights or other battery-operated lights instead of candles.

Beware of hazardous materials. Wear protective clothing and gear (for example, a respirator if needed) when handling hazardous materials. Wash skin that may have come in contact with hazardous chemicals. Contact local authorities if you are not sure about how to handle or get rid of hazardous materials.

Clean up and prevent mold growth. Clean up and dry out the building quickly (within 24 to 48 hours). Open doors and windows. Use fans to dry out the building. To *prevent* mold growth, clean wet items and surfaces with detergent and water. To *remove* mold growth, wear rubber gloves, open windows and doors, and clean with a bleach solution of 1 cup of bleach in 1 gallon of water. Throw away porous items (for example, carpet and upholstered furniture) that cannot be dried quickly. Fix any leaks in roofs, walls, or plumbing.

Immunizations: Historically, outbreaks of communicable disease are uncommon after flood emergencies. However, anyone receiving a puncture wound or having a wound contaminated with flood waters should consult a health care professional to determine whether a tetanus booster is necessary. If you have not had a booster within the appropriate time frame it is advisable *to talk with your health care provider about having a tetanus booster*.

Pace yourself and get support. Be alert to physical and emotional exhaustion or strain. Set priorities for cleanup tasks, and pace the work. Try not to work alone. Don't get exhausted. Ask your family members, friends, or professionals for support. If needed, seek professional help.

Prevent musculoskeletal injuries. Use teams of two or more people to move bulky objects. Avoid lifting any material that weighs more than 50 pounds (per person).

Stay cool. When it's hot, stay in air-conditioned buildings; take breaks in shaded areas or in cool rooms; drink water and nonalcoholic fluids often; wear lightweight, light-colored, loose-fitting clothing; and do outdoor activities during cooler hours.

Treat wounds. Clean out all open wounds and cuts with soap and clean water. Apply an antibiotic ointment. Contact a doctor to find out whether more treatment is needed (such as tetanus shot). If a wound gets red, swells, or drains, seek immediate medical attention.

Wash your hands. Use soap and water to wash your hands. If water isn't available, you can use alcohol-based products made for washing hands.

Wear protective gear for cleanup work. Wear hard hats, goggles, heavy work gloves, and watertight boots with steel toes and insoles (not just steel shank). Wear earplugs or protective headphones to reduce risk from equipment noise.

INFORMATION PROVIDED BY:



Loup Basin
PUBLIC HEALTH DEPARTMENT